INDIANA.
S & W 2 P. M.

IND



Township No. II South of the *BASE LINE*, **Range No. VIII** West of the *MERIDIAN*.

Surveyed by Edward W Tupper, Augustus Stone and
Samuel H Smith 1805.

Acres Dec
Total 23.009.96

Description of the quality of the Land on the Interior Sectional Lines.

Between Sections		quality &c	Between Sections		quality &c	Between Sections		quality &c
35.	36	Second and third rate B & W Oak	20.	29	Flat ridges second rate Oak. Hickory Dogwood	9	16	part rich second rate bottom, part low hills; Oak &c
25.	26	Poor, B W Oak &c	19.	30	Same	17.	18	Flat ridges third rate; Oak, Hickory &c
34.	35	Flat, [illegible] thin; Oak. Elm &c	20.	21	Third rate hills briars &c	8.	17	Third rate hills; Hickory W & B Oak, Sugar &c
26.	36	Thin, poor B & W Oak	16.	21	Second rate hills; Oak	7.	18	Bushy third rate; Dogwood. Oak &c
33.	34	Hilly bushy third rate Oak. Dogwood &c	22	23	part barren, part second rate bottoms; Poplar & Hickory	11	12	Flat, barren; thinly timbered with Oak
27.	34	Part poor, Creek flat &c	14.	23	Third rate hills; Oak	1.	12	Worst of third rate, barren knobs &c
32	33	Poor, bushy, briery &c Dogwood, B Jack &c	27	22	Creek bottom; Oak. Hickory, Elm, Dogwood &c	10.	11	Part no timber, part a few Oaks
28	33	Part [illegible] bushes & part hilly 3 rate; Oak. B Jack &c	15.	22		2.	11	Third rate upland, barren, briery &c
21.	32	Third [illegible]	20	21	Third rate upland; Oak	9.	10	First rate hills; Ash. Elm, Dogwood &c
29.	32	Poor, bushy, briery &c Oak; Dogwood &c	16	21	Low, bushy briery, level; Oak & Maple	3.	10	Second rate; Oak. Dogwood &c
30.	31	Second rate hilly Oak. Dogwood &c	19	20	Hilly, thin soil, part third rate; Oak. Hickory &c	8.	9	Level, thin soil; Oak &c
23	26	Thin, bushy, some Oak	17.	20	Bushy, briery, swampy; Elm Oak &c	4.	9	A briery ridge, some Hickory and Oak
24	25	Flat, some ridges, second rate	18.	19	Low swampy; Oak Elm &c	7.	8	Third rate hills; Oak, Dogwood &c
26.	27	Flat and bushy, Oak & Hickory	13.	14.		5.	8	Patoka flats low, cold & swampy; Gum, Oak, Elm &c
22.	26	Third hills, bushy and thinly timbered with Oak	12	13	Worst of third rate, barren bushy, Oak &c	6.	7	Part dry bushy, part wet cold third rate; B Jack, Oak &c
27.	28	Hilly third rate; Oak. Dogwood, Hickory	14	15	Briars, grapevines &c Oak saplings	1.	2	Bushy, briars &c
	27	Creek bottom, Oak	11	14	Worst of upland; briars &c	2.	3	Third rate upland bushy, some Oak
28.	29	[illegible] poor; Oak. B Jack Dogwood &c	15.	16	Low level, second rate, Oak, Elm &c	3.	4	Hilly second rate; Oak Elm &c
21.	28	[illegible] rate; Oak. Hickory, Dogwood &c	10	15	Flat, poor, barren; bush briars &c			
29.	30	[illegible] ridges, third rate, Oak, Hickory &c	16	17	Glady bottom; Oak, Maple &c			

54

Township No 2 South of the Base Line, Range No 5 West

Posts	Bearing trees	Inches diam.	Course thus bear	Links dist.	Quality
A	Gum	22	S 5 W	27	From A & B [illegible] second rate, timber Elm, Gum, Oak &c.
	Gum	22	N 42 E	25	
a	Hickory	[illegible]	N 32 E	7	
	Gum	10	S 4 E	3[illegible]	
B	[illegible]	30	N 71 W	32	B & C Creek bottom, some swamp, Oak, Hickory, Elm &c.
	W Oak	24	S 2 W	12	
b	Gum	5	N 21 E	31	
	Hickory	9	N 3 W	8	
C	Elm	12	Corner		C & D [illegible], swampy, timber same
c	Elm	10	N 12 W	22	
	Sugar	12	S 40 E	25	
D	In pond				D & E Flat, thin soil, timber Oak
d	Hickory	11	S 53 W	10	
	Hickory	12	S 3 E	2[illegible]	
E	Elm	22	S 18 E	11	E & F [illegible] thinly timbered with Oak, poor soil.
	W Oak	15	S 44 W	17	
e	No timber				
F	W Oak	12	S 19 E		F & G Barren, being [illegible] same, Oak & Hickory
	Hickory	[illegible]	S 55 W	40	
f	Hickory	12	S 50 E	7	
	W Oak	11	S 26 E	45	
G	W Oak	16	S 20 W	34	G & H Barren, third rate, [illegible] being &c.
	W Oak	11	S 52 E	23	
g	W Oak	11	S 7 W	21	
	W Oak	15	N 11 E	18	
H	Sup Oak	24	N 67 E	81	H & I Same
	Sup Oak	23	N 60 W	71	
h	B Jack	11	S 82 E	22	
I	In barrens				I & K Low barrens, no timber
i	W Oak	24	N 52 E	25	
	Dogwood	5	S 73 E	25	
K	W Oak	12	N 41 W	12	K & L Hilly, timber W Oak &c.
	W Oak	14	S 4 W	15	
k	W Oak	12	N 25 E	24	
	W Oak	11	N 71 W	47	
L	W Oak	11	N 87 W	42	L & M Level, second rate, W Oak
	W Oak	14	S 44 W	30	
l	Post Oak	12	N 46 W	35	
	W Oak	13	S 7 W	31	
M	Gum	11	N 10 W	10	M & N Flat, W Oak, Red Oak, Gum &c.
	Gum	9	S 55 W	15	
m	Maple	12	S 52 W	15	
	Maples	8	N 51 E	22	
N	Beech	12	N 21 W	50	N & O Third rate, mostly flat
	B Walnut	8	N 83 W	35	
n	Elm	10	N 4 W	4	
	B Oak	8	N 72 E	8	
O	Hickory	11	S 22 E	18	O & P Creek flats and Oak timbered ridges, Oak, Elm &c.
	Hickory	10	N 75 W	15	
o	Hickory	10	N 77 W	30	
	Dogwood	8	S 81 E	24	
P	R Oak	22	Corner		P & Q Thin soil, Oak, Elm &c.
p					
Q	Hickory	10	N 30 E	44	Q & R
	B Oak	14	S 64 W	45	
q					
R	B Oak	22	S 77 E	23	R & S
	W Oak	13	N 31 E	47	
r					
S	W Oak	18	N 52 W	25	S & T
	W Oak	18	S 80 W	8	
s					
T	B Oak	36	S 60 W	54	T & U
	B Oak	24	N 45 W	8	
t					
U	Hickory	11	S 22 E	5	U & V Third rate, timber &c.
	Gum	10	N 40 W	8	
u					
V	Elm	7	N 46 W	12	V & W Flat ridges, second rate, Oak, Hickory, Dogwood &c.
	W Oak	7	S 45 W	27	
v	Dogwood	5	N 25 E	25	
	W Oak	8	S 26 W	31	
W	Dogwood	8	N 6 E	40	W & X Same
	Hickory	7	S 11 E	15	
w	Hickory	8	S 31 E	5	
	R Oak	20	N 31 W	44	
X	B Jack	8	N 75 E	26	X & Y Third rate, hilly, brushy, B Jack, Oak, Dogwood &c.
	~~	~~	~~	~~	
x	B Jack	20	S 76 E	30	
	Hickory	14	S 59 W	59	
Y	B Jack	18	S 49 W	14	Y & A Same
	Hickory	12	N 54 E	45	
y	B Oak	30	S 25 W	30	
	B Oak	30	N 24 W	36	

Interior Sectional Corners Described

Sections Corners	Bearing trees	Inches diam.	Course thus bear	Links dist.
1. 2. 11. 12	No bearing tree			
2. 3. 10. 11	No bearing tree			
3. 4. 9. 10	Hickory	11	N 39 W	13
	Hickory	15	S 39 E	5
4. 5. 8. 9	W Oak	5	N 75 E	33
	W Oak	15	S 73 W	12
5. 6. 7. 8	Dogwood	[illegible]	S 22 W	12
	Sassafras	5	S 32	12
11. 12. 13. 14	W Oak	5	N 25	11
	W Oak	15	S 22 W	24
10. 11. 14. 15	B Oak	21	N 25 W	34
	R Oak	27	S 62 W	22
9. 10. 15. 16	Soft Maple	10	N 32	30
	B Oak	5	N 33 W	27
8. 9. 16. 17	W Oak	24	S 33 E	16
	Maple	10	N 13 W	22
7. 8. 17. 18	W Oak	17	N 75 E	57
	B Oak	20	N 33 E	43
13. 14. 23. 24	—	—	—	—
	—	—	—	—
14. 15. 22. 23	B Oak	22	S 57 E	22
	B Oak	20	S 56 W	36
15. 16. 21. 22	W Oak	24	S 87 W	35
	B Oak	15	N 57 W	33
16. 17. 20. 21	Soft Maple	10	Corner	
17. 18. 19. 20	Soft Maple	12	N 24 E	24
	Elm	12	S 30 W	24
23. 24. 25. 26	H Locust	12	S 8 E	57
	Spanish Oak	11	N 24 W	29
22. 23. 26. 27	W Oak	30	Corner	
21. 22. 27. 28	W Oak	30	S 52 E	57
	Hickory	5	N 22 W	30
20. 21. 28. 29	B Oak	30	Corner	
19. 20. 29. 30	W Oak	12	S 55	22
	Hickory	5	N 30	35
25. 26. 35. 36	W Oak	11	S 50 E	12
	W Oak	10	S 15 W	20
26. 27. 34. 35	Hickory	9	S 80 W	33
	Hickory	8	S 6 E	4
27. 28. 33. 34	P Oak	9	S 4 W	35
	Dogwood	8	N 20 E	20
28. 29. 32. 33	B Oak	2[illegible]	N 45 E	12
	B Oak	15	S 65 W	25
29. 30. 31. 32	Hickory	14	Corner	

Quarter Section Corners Described.

From and To		Bearing trees	Inches diam.	Course thus bear	Links dist.
M & V at	1	Sp. Oak in a thicket	18	Corner	
	2	Gum	8	S 12 E	57
		W Oak	10	N 23 W	57
	3	Soft Maple	18	Corner	
	4	Dogwood	8	Corner	
	5	Soft Maple	18	N 80 W	25
		R Oak	13	S 50 E	15
	6	B Oak	13	N 5 E	35
		Hickory	9	S 36 W	25
L & V at	1	W Oak	12	S 33 E	42
		Red Oak	15	S 52 W	34
	2	Hickory	11	N 38 E	22
		Dogwood	8	N 52 W	22
	3	W Oak	20	S 80 W	37
		B Oak	15	S 26 E	15
	4	W Oak	13	N 74 W	25
		W Oak	13	N 12 E	06
	5	Hackberry	8	Corner	
	6	Hickory	12	Corner	
K & W at	1	S Oak	12	N 71 E	35
		Elm	10	North	9
	2	B Oak	12	West	15
		W Oak	11	N 12.30 E	34
	3	Hickory	10	N 13 W	38
		Dogwood	9	S 30 E	25
	4	W Oak	18	Corner	
	5	Hickory	13	S 49 E	22
		Mulberry	18	N 23 W	28
	6	B Jack	12	S 69 W	26
		Elm	7	N 69 E	16

Quarter Section Corners Continued.

From and To		Bearing trees	Inches diam.	Course thus bear	Links dist.
I & X at	1	Spanish Oak	[illegible]	Corner	
	2	B Oak	10	N 78.30 W	31
		S Oak	8	N 5 E	17
	3	Pin Oak	6	N 30	11
		Pin Oak	[illegible]	S 10 E	24
	4	Gum	11	N 2 W	10
		Dogwood	5	S 30 E	13
	5	Hickory	18	N 52 W	31
		Hickory	10	S 62 W	41
	6	B Oak	30	S 67 E	24
		Dogwood	9	S 81 W	24
H & Y at	1	No bearing tree			
	2	Oak	24	S 60 E	20
		W Oak	8	N 80 W	36
	3	W Oak	20	Corner	
	4	B Oak	28	S 15.30 E	15
		Hickory	8	S 33 E	11
	5	W Oak	12	N 55 E	2
		Gum	24	S 61 E	5
	6	Gum	7	Corner	
O & F at	1	Maple	30	North	22
		Maple	8	S 23 W	25
	2	Elm	11	N 50 E	11
		Maple	7	S 43 W	34
	3	S Oak	20	S 50 W	32
		Elm	6	S 43 E	16
	4	—	—	—	—
	5	B Oak	9	Corner	
	6	W Oak	30	S 49 E	22
		Maple	10	N 24 E	30
P & E at	1	W Oak	12	Corner	
	2	R Oak	20	S 37 E	18
		Gum	12	S 55 W	18
	3	Gum	8	S 3 E	9
		B Oak	[illegible]	S 6.30 E	11
	4	B Jack	5	Corner	
	5	Dogwood	8	S 11 E	15
		Elm	14	S 52 E	25
	6	R Oak	18	S 5 E	12
		Hickory	8	S 73 W	37
Q & D at	1	B Jack	11	Corner	
	2	W Oak	10	N 37 W	35
		W Oak	19	S 43 E	20
	3	Sft Maple	12	S 73 E	7
		W Oak	6	S 42	37
	4	Elm	8	Corner	
	5	B Oak	18	Corner	
	6	W Oak	20	N 55 W	26
		W Oak	10	N 55	26
R & C at	1	B Oak	11	S 20 W	30
		W Oak	30	N 20 E	13
	2	B Jack	8	S 29 W	15
		B Jack	8	N 7 E	13
	3	Dogwood	8	N 33	24
		Dogwood	9	S 25 W	13
	4	Maple	26	S 44 W	26
		Maple	12	S 88 E	72
	5	In pond			
	5	W Oak	10	N 55 E	18
		Hickory	12	N 04 W	23
S & B at	1	W Oak	10	N 18 W	21
		W Oak	10	S 50 E	17
	2	Red Oak	36	Corner	
	3	B Oak	11	Corner	
	4	Dogwood	7	N 63 E	35
		Hickory	13	N 69 W	15
	5	Elm	20	N 89 W	23
		Sassafras	13	S 88 E	34
	6	No timber			

HQ

NATIONAL ARCHIVES OF THE UNITED STATES
CARTOGRAPHIC RECORDS RG 49

2

16
18

" State Act 28 September 1850
See Swamp



True Copy Jared Mansfield
Surv. Gen

Townships No 2 & 3 Range No 8 South of the Base line 2PM

Pursuant to a Contract with and Instructions from Jared Mansfield Surveyor General of the United States bearing date October 15th AD 1805 We have admeasured laid out & surveyed the above the describ'd Township and do hereby certify that it hath such marks & bounds both Natural & Artificial as are represented and Noted in the field Notes & made thereof & returned to the Surveyor General's Office

Scale of Forty chains to an inch

Edward W Tupper D S
Surveyor